


□□□□ □□□, M25 - M63 / IP66 / IP68, FDA □□




이 제품은 최대 3.2mm의 22.2mm 두께의 모든 금속과 플라스틱을 절단할 수 있습니다. IP65/66/67/68 등급의 모든 금속과 플라스틱을 절단할 수 있습니다. 절단할 수 있는 모든 금속과 플라스틱의 목록은 절단할 수 있는 재료 목록에 있습니다.

□ □ □ □

- [illegible]

11 12 13 14




00 00

70345
4251269336935
5
3
6,5 mm
22 mm
8 mm

00 000
 00 000 (ISO 4287)
 0000 00 000
 00 00 000

□□□ □□
□□□ □□ □

□□(RAL 5005 □□)
 39 mm
 Ra = 0,421 μm
 M25
 25,3 mm
 M25 × 1,5
 14 mm
 2 × 3.2 - 5.2 mm
 1 × 3.2 - 6.5 mm




00 00

70346
4251269336942
5
4
5,2 mm
22 mm
8 mm

00 000
 00 000 (ISO 4287)
 0000 00 000
 00 00 000

□□□ □□
□□□ □□ □

□□(RAL 5005 □□)
 39 mm
 Ra = 0,421 μm
 M25
 25,3 mm
 M25 × 1,5
 14 mm
 4 x 3.2 - 5.2 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70351
4251269322785
5
4
12,5 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
44 mm
Ra = 0,421 μm
M32
32,3 mm
M32 × 1,5
14 mm
3 x 3.2 - 6.5 mm
1 x 7.2 - 12.5 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70352
4251269322792
5
4
9,5 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
44 mm
Ra = 0,421 μm
M32
32,3 mm
M32 × 1,5
14 mm
4 x 5 - 9.5 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70353
4251269322808
5
7
6,5 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
44 mm
Ra = 0,421 μm
M32
32,3 mm
M32 × 1,5
14 mm
7 x 3.2 - 6.5 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70354
4251269322815
5
8
10,2 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
52 mm
Ra = 0,421 μm
M40
40,4 mm
M40 × 1,5
14 mm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70355
4251269322822
5
8
12,5 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
62 mm
Ra = 0,421 μm
M50
50,4 mm
M50 × 1,5
14 mm
5 x 5 - 10.2 mm
3 x 7.2 - 12.5 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70356
4251269322839
5
10
22,2 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
62 mm
Ra = 0,421 μm
M50
50,4 mm
M50 × 1,5
14 mm
7 x 3.2 - 6.5 mm
2 x 5 - 10.2 mm
1 x 16 - 22.2 mm



EAN

□□□ □
□□ □□□ □□


□□ □□

70357
4251269322846
5
12
10,2 mm
22 mm
8 mm

□□ □□□
□□ □□□ (ISO 4287)
□□□□ □□ □□□
□□ □□ □□□

□□□ □□
□□□ □□ □

□□(RAL 5005□ □□)
62 mm
Ra = 0,421 μm
M50
50,4 mm
M50 × 1,5
14 mm
4 x 3.2 - 6.5 mm
8 x 5 - 10.2 mm



EAN

0000 0
00 0000 00


00 00

70358
4251269322853
5
19
6,5 mm
22 mm
8 mm

00 000
00 000 (ISO 4287)
0000 00 000
00 00 000

000 00
000 00 0

00(RAL 5005 00)
62 mm
Ra = 0,421 µm
M50
50,4 mm
M50 × 1,5
14 mm
19 x 3.2 - 6.5 mm



EAN

0000 0
00 0000 00


00 00

70359
4251269322860
5
9
22,2 mm
22 mm
8 mm

00 000
00 000 (ISO 4287)
0000 00 000
00 00 000

000 00
000 00 0

00(RAL 5005 00)
75 mm
Ra = 0,421 µm
M63
63,4 mm
M63 × 1,5
14 mm
1 x 3.2 - 6.5 mm
3 x 5 - 10.2 mm
4 x 9 - 16.2 mm
1 x 16 - 22.2 mm



EAN

0000 0
00 0000 00


00 00

70360
4251269322877
5
13
16,2 mm
22 mm
8 mm

00 000
00 000 (ISO 4287)
0000 00 000
00 00 000

000 00
000 00 0

00(RAL 5005 00)
75 mm
Ra = 0,421 µm
M63
63,4 mm
M63 × 1,5
14 mm
4 x 3.2 - 6.5 mm
4 x 5 - 10.2 mm
5 x 9 - 16.2 mm



EAN

0000 0
00 0000 00


00 00

70361
4251269322884
5
14
10,2 mm
22 mm
8 mm

00 000
00 000 (ISO 4287)
0000 00 000
00 00 000

000 00
000 00 0

00(RAL 5005 00)
75 mm
Ra = 0,421 µm
M63
63,4 mm
M63 × 1,5
14 mm
14 x 5 - 10.2 mm



EAN

0000 0
00 0000 00

00 00

70362
4251269322891
5
35
6,5 mm
22 mm
8 mm

00 000
00 000 (ISO 4287)
0000 00 000
00 00 000

000 00
000 00 0

00(RAL 5005 00)
75 mm
Ra = 0,421 µm
M63
63,4 mm
M63 × 1,5
14 mm
35 x 3.2 - 6.5 mm